


Pignoni e Corone per Catene a Rulli - Disegni Tecnici



d
 Dm
 A

} Misure su specifica
 del Cliente

PIGNONI E CORONE PER CATENE A RULLI - Tabella 1

Z8-Z47

Numero di denti	Passo 6 x 2,8 mm		Passo 8 x 3,0 mm		Passo 3/8" x 7/32" 9,525 x 5,72 mm		Passo 1/2" x 1/8" 12,7 x 3,3 mm	
	DIN 8187: 04-1/2/3		DIN 8187: 05B-1/2/3		DIN 8187: 06B-1/2/3		DIN 8187: 081-1/2/3	
	DIN 8188: -		DIN 8188: -		ASA 35: 3/8" x 3/16" 9,525 x 4,77 mm DIN 8188: 06C-1/2/3		DIN 8188: -	
Z	De	Dp	De	Dp	De	Dp	De	Dp
8	18.0	15.67	23.4	20.90	28.6	24.88	39.5	33.17
9	19.9	17.54	25.9	23.39	31.5	27.85	43.4	37.13
10	21.7	19.42	28.4	25.90	34.5	30.83	47.4	41.11
11	23.6	21.30	31.0	28.40	37.5	33.81	51.4	45.09
12	25.4	23.18	33.7	30.91	40.5	36.80	55.4	49.07
13	27.3	25.07	36.7	33.43	43.5	39.80	59.4	53.07
14	29.2	26.96	39.2	35.95	46.5	42.81	63.4	57.07
15	31.1	28.85	41.7	38.47	49.5	45.81	67.4	61.07
16	33.0	30.76	44.2	41.01	52.5	48.83	71.4	65.10
17	35.0	32.65	46.7	43.53	55.5	51.83	75.4	69.10
18	36.9	34.55	49.2	46.07	58.6	54.85	79.4	73.14
19	38.8	36.46	51.7	48.61	61.6	57.87	83.5	77.17
20	40.7	38.36	54.2	51.14	64.6	60.89	87.5	81.19
21	42.6	40.25	57.2	53.67	67.6	63.90	91.5	85.20
22	44.5	42.16	59.4	56.22	70.6	66.93	95.5	89.24
23	46.4	44.06	62.2	58.75	73.7	69.95	99.6	93.27
24	48.3	45.97	64.7	61.29	76.7	72.97	103.6	97.29
25	50.2	47.87	67.2	63.83	79.7	76.00	107.6	101.33
26	52.1	49.78	69.7	66.37	82.7	79.02	111.7	105.36
27	54.0	51.68	72.3	68.91	85.7	82.05	115.7	109.40
28	55.9	53.59	74.7	71.45	88.8	85.07	119.7	113.42
29	57.8	55.50	77.2	74.00	91.8	88.11	123.8	117.48
30	59.8	57.40	80.2	76.54	94.8	91.13	127.8	121.50
31	61.7	59.31	82.7	79.08	97.9	94.15	131.8	125.54
32	63.6	61.21	85.2	81.62	100.9	97.17	135.9	129.57
33	65.5	63.13	87.7	84.17	103.9	100.21	139.9	133.62
34	67.4	65.03	90.2	86.70	106.9	103.23	143.9	137.64
35	69.3	66.94	92.7	89.25	110.0	106.26	148.0	141.68
36	71.2	68.84	95.2	91.79	113.0	109.29	152.0	145.72
37	73.1	70.75	97.7	94.34	116.0	112.32	156.1	149.76
38	75.0	72.65	100.2	96.87	119.0	115.34	160.1	153.78
39	76.9	74.56	102.7	99.42	122.1	118.37	164.1	157.82
40	78.9	76.48	105.2	101.97	125.1	121.41	168.2	161.87
41	80.8	78.38	108.4	104.50	129.0	124.43	172.7	165.90
42	82.7	80.29	111.0	107.06	132.1	127.46	176.7	169.95
43	84.7	82.19	113.5	109.59	135.1	130.48	180.8	173.98
44	86.6	84.11	116.1	112.14	138.1	133.52	184.8	178.03
45	88.5	86.02	118.6	114.69	141.1	136.55	188.9	182.07
46	90.4	87.92	121.2	117.23	144.2	139.58	192.9	186.11
47	92.3	89.83	123.7	119.78	147.2	142.61	196.9	190.14
Ø Rullo:	DIN 8187	DIN 8188	DIN 8187	DIN 8188	DIN 8187	DIN 8188	DIN 8187	DIN 8188
L:	4.00	-	5.00	-	6.35	5.08	7.75	-
B1:	2.80	-	3.00	-	5.72	4.77	3.30	-
H1:	2.60	-	2.80	-	5.30	4.30	3.00	-
b1:	4.00	-	4.00	-	-	-	6.00	-
b1:	-	-	2.70	-	5.20	4.10	-	-
B2:	-	-	8.30	-	15.40	14.30	-	-
B3:	-	-	-	-	25.60	24.30	-	-

PIGNONI E CORONE PER CATENE A RULLI - Tabella 2
Z8-Z47

Numero di denti	Passo 1/2" x 5/16" 12,7 x 7,75 mm		Passo 5/8" x 3/8" 15,875 x 9,65 mm		Passo 3/4" x 7/16" 19,05 x 11,68 mm		Passo 1"x17,02 mm 25,4 x 17,02 mm	
	DIN 8187: 08B-1/2/3		DIN 8187: 10B-1/2/3		DIN 8187: 12B-1/2/3		DIN 8187: 16B-1/2/3	
	ASA 40: 1/2" x 5/16" 12,7 x 7,94 mm		ASA 50: 5/8" x 3/8" 15,875 x 9,52 mm		ASA 60: 3/4" x 1/2" 19,05 x 12,7 mm		ASA 80: 1" x 5/8" 25,4 x 15,88 mm	
	DIN 8188: 08A-1/2/3		DIN 8188: 10A1/2/3		DIN 8188: 12A-1/2/3		DIN 8188: 16A-1/2/3	
Z	De	Dp	De	Dp	De	Dp	De	Dp
8	38.0	33.17	48.4	41.47	58.0	49.76	77.9	66.34
9	42.0	37.13	53.3	46.42	63.9	55.70	85.8	74.27
10	45.9	41.11	58.3	51.39	69.8	61.66	93.8	82.22
11	49.9	45.09	63.2	56.36	75.8	67.63	101.7	90.17
12	53.9	49.07	68.2	61.34	81.8	73.61	109.7	98.15
13	57.9	53.07	73.2	66.34	87.8	79.61	117.7	106.15
14	61.9	57.07	78.2	71.34	93.8	85.61	125.7	114.15
15	65.9	61.07	83.2	76.34	99.8	91.61	133.7	122.15
16	69.9	65.10	83.3	81.38	105.8	97.65	141.8	130.20
17	74.0	69.10	93.3	86.38	111.9	103.65	149.8	138.20
18	78.0	73.14	98.3	91.42	117.9	109.71	157.8	146.28
19	82.0	77.17	103.3	96.46	123.9	115.75	165.9	154.33
20	86.0	81.19	108.4	101.49	130.0	121.79	173.9	162.38
21	90.1	85.20	113.4	106.51	136.0	127.81	182.0	170.41
22	94.1	89.24	118.4	111.55	142.0	133.86	190.1	178.49
23	98.1	93.27	123.5	116.59	148.1	139.90	198.1	186.54
24	102.1	97.29	128.5	121.62	154.1	145.94	206.2	194.59
25	106.2	101.33	133.6	126.67	160.2	152.00	214.2	202.67
26	110.2	105.36	138.6	131.70	166.2	158.04	222.3	210.72
27	114.2	109.40	143.6	136.75	172.3	164.10	230.4	218.80
28	118.3	113.42	148.7	141.78	178.3	170.14	238.4	226.85
29	122.3	117.48	153.7	146.84	184.4	176.21	246.5	234.95
30	126.3	121.50	158.8	151.88	190.4	182.25	254.6	243.00
31	130.4	125.54	163.8	156.92	196.5	188.31	262.6	251.08
32	134.4	129.57	168.9	161.96	202.5	194.35	270.7	259.13
33	138.4	133.62	173.9	167.02	208.6	200.43	278.8	267.23
34	142.4	137.64	178.9	172.05	214.6	206.46	286.9	275.29
35	146.5	141.68	184.0	177.10	220.7	212.52	294.9	283.36
36	150.6	145.72	189.0	182.15	226.8	218.58	303.0	291.44
37	154.6	149.76	194.1	187.20	232.8	224.64	311.1	299.52
38	158.6	153.78	199.1	192.23	238.9	230.68	319.2	307.57
39	162.8	157.82	204.2	197.28	244.9	236.73	327.2	315.65
40	166.7	161.87	209.2	202.34	251.0	242.81	335.3	323.75
41	172.4	165.90	215.8	207.38	258.9	248.85	345.6	331.80
42	176.5	169.95	220.8	212.44	265.0	254.93	353.7	339.90
43	180.5	173.98	225.9	217.47	271.1	260.97	361.7	347.95
44	184.6	178.03	230.9	222.54	277.1	267.04	369.8	356.06
45	188.6	182.07	236.0	227.58	283.2	273.10	377.9	364.13
46	192.6	186.11	241.0	232.63	289.2	279.16	386.0	372.21
47	196.7	190.14	246.1	237.68	295.3	285.22	394.1	380.29
Ø Rullo:	DIN 8187	DIN 8188	DIN 8187	DIN 8188	DIN 8187	DIN 8188	DIN 8187	DIN 8188
L:	10.16	10.16	10.16	10.16	12.07	11.91	15.88	15.88
B1:	9.65	9.52	9.65	9.52	11.68	12.70	17.02	15.88
H1:	9.10	8.70	9.10	8.70	11.10	11.60	16.20	14.60
b1:	10.00	10.00	10.00	10.00	-	-	-	-
b2:	9.00	8.40	9.00	8.40	10.80	11.30	15.80	14.10
B2:	25.50	26.50	25.50	26.50	30.30	34.10	47.70	43.40
B3:	42.10	44.60	42.10	44.60	49.80	56.90	79.60	72.70

PIGNONI E CORONE PER CATENE A RULLI - Tabella 3

Z8-Z47

Numero di denti	Passo 1"1/4 x 3/4" 31,75 x 19,56 mm DIN 8187: 20B-1/2/3		Passo 1"1/2 x 1" 38,1 x 25,4 mm DIN 8187: 24B-1/2/3		Passo 1"3/4x1"1/4 44,45 x 30,99 mm DIN 8187: 28B-1/2/3		Passo 2" x 1"1/4 50,8 x 30,99 mm DIN 8187: 32B-1/2/3		
	ASA 100: 1"1/4x3/4" 31,75 x 19,05 mm DIN 8188: 20A-1/2/3		ASA 120: 1"1/2 x 1" 38,1 x 25,4 mm DIN 8188: 24A-1/2/3		ASA 140: 1"3/4 x 1" 44,45 x 25,4 mm DIN 8188: 28A-1/2/3		ASA 160: 2" x 1"1/4 50,8 x 31,75 mm DIN 8188: 32A-1/2/3		
	Z	De	Dp	De	Dp	De	Dp	De	Dp
	8	96.0	82.93	113.0	99.52	132.0	116.10	152.0	132.69
9	106.5	92.84	125.0	111.40	146.0	129.97	168.0	148.54	
10	117.0	102.77	137.0	123.33	160.0	143.88	184.0	164.44	
11	127.0	112.71	149.0	135.26	174.0	157.80	200.0	180.34	
12	137.0	122.68	161.0	147.22	188.0	171.75	216.0	196.29	
13	147.5	132.68	173.0	159.22	204.0	185.76	235.0	212.29	
14	157.6	142.68	185.0	171.22	218.0	199.76	251.0	228.30	
15	167.7	152.69	197.0	183.22	232.0	213.76	267.0	244.30	
16	177.7	162.75	209.0	195.30	246.0	227.85	283.0	260.40	
17	187.8	172.75	221.0	207.30	260.0	241.85	299.0	276.40	
18	197.8	182.85	233.0	219.42	274.0	255.99	315.0	292.56	
19	207.9	192.91	245.5	231.50	289.0	270.08	331.0	308.66	
20	217.9	202.98	257.5	243.57	303.0	284.17	347.0	324.76	
21	228.0	213.01	270.5	255.61	317.0	298.22	363.0	340.82	
22	238.1	223.11	282.5	267.73	331.0	312.35	379.0	356.97	
23	248.2	233.17	294.5	279.81	345.0	326.44	396.0	373.08	
24	258.3	243.24	307.0	291.88	359.0	340.53	412.0	389.18	
25	268.4	253.33	319.0	304.00	373.0	354.67	428.0	405.33	
26	278.4	263.40	331.0	316.08	387.0	368.76	444.0	421.44	
27	288.5	273.49	343.0	328.19	401.0	382.89	460.0	437.59	
28	298.5	283.56	355.0	340.27	416.0	396.98	476.0	453.69	
29	308.6	293.69	367.5	352.43	430.0	411.16	492.0	469.90	
30	318.7	303.75	379.5	364.50	444.0	425.25	508.0	486.00	
31	328.8	313.85	391.5	376.62	458.0	439.39	524.0	502.16	
32	338.9	323.91	403.5	388.70	472.0	453.48	541.0	518.26	
33	349.0	334.04	415.5	400.85	486.0	467.66	557.0	534.47	
34	359.1	344.11	428.0	412.93	500.0	481.75	573.0	550.57	
35	369.2	354.20	440.0	425.04	514.0	495.88	589.0	566.72	
36	379.2	364.30	452.0	437.16	529.0	510.02	605.0	582.88	
37	389.3	374.40	464.0	449.28	543.0	524.15	621.0	599.03	
38	399.4	384.46	476.5	461.35	557.0	538.25	638.0	615.14	
39	409.5	394.56	488.5	473.47	571.0	552.38	654.0	631.29	
40	419.6	404.69	501.5	485.62	585.0	566.56	670.0	647.50	
41	430.7	414.75	513.5	497.70	599.0	580.65	686.0	663.60	
42	440.8	424.88	525.5	509.85	614.0	594.83	702.0	679.81	
43	450.9	434.94	538.0	521.93	628.0	608.92	718.0	695.91	
44	461.0	445.07	550.0	534.09	642.0	623.10	734.0	712.11	
45	471.1	455.17	562.0	546.20	656.0	637.24	751.0	728.27	
46	481.2	465.26	574.0	558.32	670.0	651.37	767.0	744.42	
47	491.3	475.36	586.5	570.43	684.0	665.51	783.0	760.58	
Ø Rullo:	DIN 8187	DIN 8188	DIN 8187	DIN 8188	DIN 8187	DIN 8188	DIN 8187	DIN 8188	
L:	19.05	19.05	25.40	22.22	27.94	25.40	29.21	28.58	
B1:	19.56	19.05	25.40	25.40	30.99	25.40	30.99	31.75	
H1:	18.50	17.60	24.10	23.50	29.40	23.50	29.40	29.30	
b1:	-	-	-	-	-	-	-	-	
b1:	18.20	17.10	23.60	22.90	28.80	22.90	28.80	29.70	
B2:	54.60	52.90	72.00	68.30	88.40	71.80	87.40	88.50	
B3:	91.00	88.70	120.30	113.70	148.00	120.70	146.00	147.30	

PIGNONI E CORONE PER CATENE A RULLI - Tabella 4

Z8-Z47

Numero di denti	Passo 2"1/2 x 1"1/2 63,5 x 38,1 mm		Passo 3" x 1"4/5 76,2 x 45,72 mm			
	DIN 8187: 40B-1/2/3		DIN 8187: 48B-1/2/3			
	ASA200:2"1/2x1"1/2 63,5 x 38,1 mm		ASA 240: 3" x 1" 7/8 76,2 x 47,63 mm			
	DIN 8188: 40A-1/2/3		DIN 8188: 48A-1/2/3			
Z	De	Dp	De	Dp		
8	189.0	165.86	231.0	199.03		
9	209.0	185.67	255.0	222.81		
10	229.0	205.55	279.0	246.66		
11	249.0	225.43	303.0	270.51		
12	270.0	245.36	327.0	294.44		
13	290.0	265.37	351.0	318.44		
14	310.0	285.37	375.0	342.44		
15	330.0	305.37	399.0	366.45		
16	350.0	325.50	423.0	390.60		
17	370.0	345.50	447.0	414.60		
18	390.0	365.70	471.0	438.84		
19	410.0	385.83	495.0	462.99		
20	430.0	405.96	519.0	487.15		
21	453.0	426.02	544.0	511.23		
22	473.0	446.21	568.0	535.46		
23	493.0	466.34	592.0	559.61		
24	513.0	486.47	616.0	583.77		
25	533.0	506.67	640.0	608.00		
26	553.0	526.80	664.0	632.16		
27	573.0	546.99	689.0	656.39		
28	594.0	567.12	713.0	680.54		
29	614.0	587.38	737.0	704.85		
30	634.0	607.50	761.0	729.01		
31	654.0	627.70	786.0	753.24		
32	674.0	647.83	810.0	777.39		
33	694.0	668.08	834.0	801.70		
34	714.0	688.21	858.0	825.86		
35	734.0	708.41	882.0	850.09		
36	755.0	728.60	907.0	874.32		
37	775.0	748.79	931.0	898.55		
38	795.0	768.92	955.0	922.71		
39	815.0	789.11	979.0	946.94		
40	835.0	809.37	1004.0	971.25		
41	855.0	829.50	1028.0	995.40		
42	875.0	849.76	1052.0	1019.71		
43	895.0	869.89	1076.0	1043.86		
44	916.0	890.14	1100.0	1068.17		
45	936.0	910.34	1125.0	1092.40		
46	956.0	930.53	1149.0	1116.63		
47	976.0	950.72	1173.0	1140.87		
Ø Rullo:	DIN 8187	DIN 8188	DIN 8187	DIN 8188		
L:	39.37	39.68	48.26	47.63		
B1:	38.10	38.10	45.70	47.63		
H1:	34.00	36.40	44.00	45.80		
b1:	-	-	-	-		
b1:	33.90	36.10	43.50	45.50		
B2:	106.00	107.10	132.70	132.90		
B3:	178.00	178.10	222.00	220.30		

PIGNONI E CORONE PER CATENE A RULLI - Tabella 1
Z48-Z86

Numero di denti	Passo 6 x 2,8 mm		Passo 8 x 3,0 mm		Passo 3/8" x 7/32" 9,525 x 5,72 mm		Passo 1/2" x 1/8" 12,7 x 3,3 mm	
	DIN 8187: 04-1/2/3		DIN 8187: 05B-1/2/3		DIN 8187: 06B-1/2/3		DIN 8187: 081-1/2/3	
	DIN 8188: -		DIN 8188: -		ASA 35: 3/8" x 3/16" 9,525 x 4,77 mm DIN 8188: 06C-1/2/3		DIN 8188: -	
Z	De	Dp	De	Dp	De	Dp	De	Dp
48	94.2	91.74	126.4	122.32	150.2	145.64	201.0	194.18
49	96.1	93.64	128.9	124.86	153.3	148.66	205.0	198.21
50	98.0	95.56	131.5	127.41	156.3	151.70	209.1	202.26
51	99.9	97.46	134.0	129.95	159.3	154.72	213.1	206.30
52	101.8	99.37	136.6	132.50	162.4	157.75	217.1	210.34
53	103.7	101.28	139.1	135.04	165.4	160.78	221.2	214.38
54	105.6	103.16	141.7	137.55	168.4	163.77	225.2	218.36
55	107.6	105.10	144.2	140.14	171.4	166.85	229.3	222.47
56	109.5	107.01	146.8	142.68	174.5	169.88	233.3	226.50
57	111.4	108.92	149.3	145.22	177.5	172.91	237.3	230.54
58	113.3	110.83	151.9	147.77	180.5	175.94	241.4	234.58
59	115.2	112.73	154.5	150.31	183.6	178.97	245.4	238.62
60	117.1	114.64	157.1	152.86	186.6	181.99	249.5	242.66
61	119.0	116.55	159.7	155.40	189.6	185.02	253.5	246.70
62	120.9	118.46	162.2	157.95	192.7	188.06	257.5	250.75
63	122.8	120.37	164.8	160.49	195.7	191.08	261.5	254.77
64	124.7	122.28	167.3	163.04	198.7	194.12	265.6	258.83
65	126.6	124.19	169.8	165.58	201.8	197.15	269.7	262.86
66	128.5	126.10	172.4	168.14	204.8	200.19	273.7	266.92
67	130.4	128.01	175.0	170.68	207.8	203.22	277.7	270.95
68	132.4	129.92	177.5	173.22	210.8	206.24	281.8	274.99
69	134.3	131.83	180.1	175.77	213.8	209.27	285.8	279.03
70	136.2	133.73	182.6	178.31	216.9	212.30	289.9	283.07
71	138.1	135.65	185.2	180.86	219.9	215.34	293.9	287.12
72	140.0	137.56	187.7	183.41	223.0	218.37	298.0	291.16
73	141.9	139.46	190.3	185.95	226.0	221.40	302.0	295.20
74	143.8	141.37	192.9	188.50	229.6	224.43	306.0	299.24
75	145.7	143.28	195.3	191.04	232.1	227.46	310.1	303.28
76	147.6	145.19	197.9	193.59	235.1	230.50	314.1	307.33
77	149.5	147.10	200.5	196.14	238.1	233.52	318.1	311.37
78	151.5	149.01	203.0	198.68	241.2	236.55	322.2	315.40
79	153.4	150.92	205.6	201.22	244.2	239.58	326.2	319.44
80	155.3	152.83	208.1	203.77	247.2	242.61	330.3	323.48
81	157.2	154.74	210.7	206.32	250.2	245.65	334.3	327.53
82	159.1	156.65	213.3	208.86	253.8	248.68	338.3	331.57
83	161.0	158.56	215.9	211.41	256.8	251.71	342.4	335.61
84	162.9	160.46	218.5	213.95	260.4	254.74	346.4	339.65
85	164.8	162.38	220.8	216.50	262.4	257.78	350.5	343.70
86	166.7	164.29	223.4	219.05	266.0	260.80	354.5	347.74
Ø Rullo:	DIN 8187	DIN 8188	DIN 8187	DIN 8188	DIN 8187	DIN 8188	DIN 8187	DIN 8188
L:	4.00	-	5.00	-	6.35	5.08	7.75	-
B1:	2.80	-	3.00	-	5.72	4.77	3.30	-
H1:	2.60	-	2.80	-	5.30	4.30	3.00	-
b1:	4.00	-	4.00	-	-	-	6.00	-
b1:	-	-	2.70	-	5.20	4.10	-	-
B2:	-	-	8.30	-	15.40	14.30	-	-
B3:	-	-	-	-	25.60	24.30	-	-

PIGNONI E CORONE PER CATENE A RULLI - Tabella 2

Z48-Z86

Numero di denti	Passo 1/2" x 5/16" 12,7 x 7,75 mm		Passo 5/8" x 3/8" 15,875 x 9,65 mm		Passo 3/4" x 7/16" 19,05 x 11,68 mm		Passo 1"x17,02 mm 25,4 x 17,02 mm	
	DIN 8187: 08B-1/2/3		DIN 8187: 10B-1/2/3		DIN 8187: 12B-1/2/3		DIN 8187: 16B-1/2/3	
	ASA 40: 1/2" x 5/16" 12,7 x 7,94 mm		ASA 50: 5/8" x 3/8" 15,875 x 9,52 mm		ASA 60: 3/4" x 1/2" 19,05 x 12,7 mm		ASA 80: 1" x 5/8" 25,4 x 15,88 mm	
	DIN 8188: 08A-1/2/3		DIN 8188: 10A1/2/3		DIN 8188: 12A-1/2/3		DIN 8188: 16A-1/2/3	
Z	De	Dp	De	Dp	De	Dp	De	Dp
48	200.7	194.18	251.1	242.73	301.4	291.27	402.1	388.37
49	204.8	198.21	256.2	247.76	307.4	297.31	410.2	396.42
50	208.8	202.26	261.2	252.83	313.5	303.39	418.3	404.52
51	212.8	206.30	266.3	257.87	319.5	309.45	426.4	412.60
52	216.9	210.34	271.3	262.92	325.6	315.51	434.5	420.67
53	220.9	214.38	276.4	267.97	331.6	321.56	442.5	428.75
54	225.0	218.36	281.4	272.95	337.7	327.55	450.6	436.73
55	229.0	222.47	286.5	278.08	343.8	333.70	458.7	444.93
56	233.0	226.50	291.5	283.13	349.8	339.76	466.8	453.01
57	237.1	230.54	296.6	288.18	355.9	345.81	474.9	461.09
58	241.1	234.58	301.6	293.23	362.0	351.87	482.9	469.16
59	245.2	238.62	306.7	298.28	368.0	357.93	491.0	477.24
60	249.2	242.66	311.7	303.32	374.1	363.99	499.1	485.32
61	253.2	246.70	316.8	308.37	380.2	370.05	507.2	493.40
62	257.3	250.75	321.8	313.44	386.2	376.12	513.3	501.50
63	261.3	254.77	326.9	318.47	392.3	382.16	521.4	509.55
64	265.4	258.83	331.9	323.53	398.3	388.24	531.4	517.65
65	269.4	262.86	337.0	328.58	404.4	394.30	539.5	525.73
66	273.4	266.92	342.0	333.64	410.1	400.37	547.6	533.83
67	277.4	270.95	347.1	338.69	416.2	406.43	555.7	541.91
68	281.5	274.99	352.1	343.74	422.6	412.49	563.8	549.99
69	285.5	279.03	357.2	348.79	428.7	418.55	571.9	558.06
70	289.6	283.07	362.2	353.84	434.7	424.61	579.9	566.14
71	293.6	287.12	367.3	358.90	440.8	430.68	588.0	574.24
72	297.7	291.16	372.3	363.95	446.8	436.74	596.1	582.32
73	301.7	295.20	377.4	369.00	452.9	442.80	604.2	590.40
74	305.7	299.24	382.4	374.05	458.9	448.86	612.2	598.47
75	309.8	303.28	387.5	379.10	465.0	454.91	620.3	606.55
76	313.9	307.33	392.5	384.16	471.1	460.99	628.4	614.65
77	317.9	311.37	397.6	389.21	477.2	467.05	636.5	622.73
78	321.9	315.40	402.6	394.26	483.2	473.11	644.6	630.81
79	325.9	319.44	407.7	399.30	489.3	479.16	652.7	638.89
80	330.0	323.48	412.7	404.35	495.3	485.22	660.7	646.96
81	334.0	327.53	417.8	409.42	501.4	491.30	668.8	655.07
82	338.0	331.57	422.8	414.46	507.4	497.36	676.8	663.14
83	342.1	335.61	427.9	419.51	513.5	503.42	684.9	671.22
84	346.1	339.65	432.9	424.56	519.5	509.47	692.9	679.30
85	350.2	343.70	438.0	429.63	525.6	515.55	701.2	687.40
86	354.2	347.74	443.0	434.67	531.6	521.61	709.2	695.48
Ø Rullo:	DIN 8187	DIN 8188	DIN 8187	DIN 8188	DIN 8187	DIN 8188	DIN 8187	DIN 8188
L:	10.16	10.16	10.16	10.16	12.07	11.91	15.88	15.88
B1:	9.65	9.52	9.65	9.52	11.68	12.70	17.02	15.88
H1:	9.10	8.70	9.10	8.70	11.10	11.60	16.20	14.60
b1:	10.00	10.00	10.00	10.00	-	-	-	-
B2:	9.00	8.40	9.00	8.40	10.80	11.30	15.80	14.10
B3:	25.50	26.50	25.50	26.50	30.30	34.10	47.70	43.40
B3:	42.10	44.60	42.10	44.60	49.80	56.90	79.60	72.70

PIGNONI E CORONE PER CATENE A RULLI - Tabella 3
Z48-Z86

Numero di denti	Passo 1"1/4 x 3/4" 31,75 x 19,56 mm DIN 8187: 20B-1/2/3		Passo 1"1/2 x 1" 38,1 x 25,4 mm DIN 8187: 24B-1/2/3		Passo 1"3/4x1"1/4 44,45 x 30,99 mm DIN 8187: 28B-1/2/3		Passo 2" x 1"1/4 50,8 x 30,99 mm DIN 8187: 32B-1/2/3		
	ASA 100: 1"1/4x3/4" 31,75 x 19,05 mm DIN 8188: 20A-1/2/3		ASA 120: 1"1/2 x 1" 38,1 x 25,4 mm DIN 8188: 24A-1/2/3		ASA 140: 1"3/4 x 1" 44,45 x 25,4 mm DIN 8188: 28A-1/2/3		ASA 160: 2" x 1"1/4 50,8 x 31,75 mm DIN 8188: 32A-1/2/3		
	Z	De	Dp	De	Dp	De	Dp	De	Dp
	48	501.4	485.46	598.5	582.55	698.0	679.64	799.0	776.73
49	511.5	495.52	610.5	594.63	712.0	693.73	815.0	792.84	
50	521.6	505.65	622.5	606.78	726.0	707.91	832.0	809.04	
51	531.7	515.75	635.0	618.90	741.0	722.05	848.0	825.20	
52	541.8	525.84	647.0	631.01	755.0	736.18	864.0	841.35	
53	551.9	535.94	659.0	643.13	769.0	750.32	880.0	857.50	
54	562.0	545.91	671.0	655.09	783.0	764.27	896.0	873.46	
55	572.1	556.16	683.5	667.40	797.0	778.63	912.0	889.86	
56	582.2	566.26	695.5	679.51	811.0	792.77	928.0	906.02	
57	592.3	576.36	707.5	691.63	825.0	806.90	945.0	922.17	
58	602.4	586.45	719.5	703.75	839.0	821.04	961.0	938.33	
59	612.5	596.55	731.5	715.86	853.0	835.17	977.0	954.48	
60	622.6	606.65	745.0	727.98	869.0	849.31	993.0	970.64	
61	632.7	616.74	757.0	740.09	883.0	863.44	1009.0	986.79	
62	642.8	626.87	769.0	752.25	897.0	877.62	1025.0	1003.00	
63	652.9	636.94	781.0	764.32	911.0	891.71	1041.0	1019.10	
64	663.0	647.07	793.5	776.48	925.0	905.89	1057.0	1035.30	
65	673.1	657.16	805.5	788.59	939.0	920.03	1073.0	1051.46	
66	683.2	667.29	817.5	800.75	953.0	934.21	1089.0	1067.66	
67	693.3	677.39	829.5	812.86	967.0	948.34	1105.0	1083.82	
68	703.4	687.48	842.0	824.98	981.0	962.48	1121.0	1099.97	
69	713.5	697.58	854.0	837.10	995.0	976.61	1137.0	1116.13	
70	723.6	707.68	866.0	849.21	1009.0	990.75	1153.0	1132.28	
71	733.7	717.80	878.0	861.36	1024.0	1004.93	1169.0	1148.49	
72	743.8	727.90	890.5	873.48	1038.0	1019.06	1185.0	1164.64	
73	753.9	738.00	902.5	885.60	1052.0	1033.20	1201.0	1180.80	
74	764.0	748.09	914.5	897.71	1066.0	1047.33	1217.0	1196.95	
75	774.2	758.19	926.5	909.83	1081.0	1061.47	1233.0	1213.10	
76	784.3	768.32	939.0	921.98	1095.0	1075.65	1252.0	1229.31	
77	794.4	778.41	951.0	934.10	1109.0	1089.78	1268.0	1245.46	
78	804.5	788.51	963.0	946.21	1123.0	1103.92	1284.0	1261.62	
79	814.6	798.61	975.0	958.33	1138.0	1118.05	1300.0	1277.77	
80	824.7	808.70	987.5	970.45	1152.0	1132.19	1316.0	1293.93	
81	834.8	818.83	999.5	982.60	1166.0	1146.37	1332.0	1310.13	
82	844.9	828.93	1011.5	994.71	1180.0	1160.50	1348.0	1326.29	
83	855.0	839.03	1023.5	1006.83	1195.0	1174.64	1364.0	1342.44	
84	865.1	849.12	1035.5	1018.95	1209.0	1188.77	1380.0	1358.60	
85	875.2	859.25	1048.0	1031.10	1223.0	1202.95	1396.0	1374.80	
86	885.3	869.35	1060.0	1043.22	1237.0	1217.09	1412.0	1390.95	
Ø Rullo:	DIN 8187	DIN 8188	DIN 8187	DIN 8188	DIN 8187	DIN 8188	DIN 8187	DIN 8188	
L:	19.05	19.05	25.40	22.22	27.94	25.40	29.21	28.58	
B1:	19.56	19.05	25.40	25.40	30.99	25.40	30.99	31.75	
H1:	18.50	17.60	24.10	23.50	29.40	23.50	29.40	29.30	
b1:	-	-	-	-	-	-	-	-	
b2:	18.20	17.10	23.60	22.90	28.80	22.90	28.80	29.70	
B2:	54.60	52.90	72.00	68.30	88.40	71.80	87.40	88.50	
B3:	91.00	88.70	120.30	113.70	148.00	120.70	146.00	147.30	

PIGNONI E CORONE PER CATENE A RULLI - Tabella 4
Z48-Z86

Numero di denti	Passo 2"1/2 x 1"1/2 63,5 x 38,1 mm DIN 8187: 40B-1/2/3		Passo 3" x 1"4/5 76,2 x 45,72 mm DIN 8187: 48B-1/2/3			
	ASA200:2"1/2x1"1/2 63,5 x 38,1 mm DIN 8188: 40A-1/2/3		ASA 240: 3" x 1" 7/8 76,2 x 47,63 mm DIN 8188: 48A-1/2/3			
Z	De	Dp	De	Dp		
48	996.0	970.92	1197.0	1165.10		
49	1016.0	991.04	1221.0	1189.25		
50	1036.0	1011.30	1246.0	1213.56		
51	1056.0	1031.49	1270.0	1237.79		
52	1077.0	1051.69	1294.0	1262.02		
53	1097.0	1071.88	1318.0	1286.26		
54	1117.0	1091.82	1342.0	1310.18		
55	1137.0	1112.33	1367.0	1334.80		
56	1157.0	1132.52	1391.0	1359.03		
57	1179.0	1152.72	1416.0	1383.26		
58	1199.0	1172.91	1440.0	1407.49		
59	1219.0	1193.10	1464.0	1431.72		
60	1240.0	1213.29	1488.0	1455.95		
61	1260.0	1233.49	1513.0	1480.19		
62	1280.0	1253.74	1537.0	1504.49		
63	1300.0	1273.87	1561.0	1528.65		
64	1320.0	1294.13	1585.0	1552.96		
65	1340.0	1314.32	1610.0	1577.19		
66	1360.0	1334.58	1634.0	1601.50		
67	1380.0	1354.77	1658.0	1625.73		
68	1401.0	1374.97	1682.0	1649.96		
69	1421.0	1395.16	1707.0	1674.19		
70	1441.0	1415.35	1731.0	1698.42		
71	1461.0	1435.61	1755.0	1722.73		
72	1481.0	1455.80	1779.0	1746.96		
73	1501.0	1475.99	1804.0	1771.19		
74	1521.0	1496.19	1828.0	1795.42		
75	1541.0	1516.38	1852.0	1819.66		
76	1562.0	1536.64	1876.0	1843.96		
77	1582.0	1556.83	1901.0	1868.20		
78	1602.0	1577.02	1925.0	1892.43		
79	1622.0	1597.22	1949.0	1916.66		
80	1642.0	1617.41	1973.0	1940.89		
81	1662.0	1637.67	1998.0	1965.20		
82	1682.0	1657.86	2022.0	1989.43		
83	1702.0	1678.05	2046.0	2013.66		
84	1723.0	1698.24	2070.0	2037.89		
85	1743.0	1718.50	2095.0	2062.20		
86	1763.0	1738.69	2119.0	2086.43		
Ø Rullo:	DIN 8187	DIN 8188	DIN 8187	DIN 8188		
L:	39.37	39.68	48.26	47.63		
B1:	38.10	38.10	45.70	47.63		
B1:	34.00	36.40	44.00	45.80		
H1:	-	-	-	-		
b1:	33.90	36.10	43.50	45.50		
B2:	106.00	107.10	132.70	132.90		
B3:	178.00	178.10	222.00	220.30		

PIGNONI E CORONE PER CATENE A RULLI - Tabella 1
Z87-Z125

Numero di denti	Passo 6 x 2,8 mm		Passo 8 x 3,0 mm		Passo 3/8" x 7/32" 9,525 x 5,72 mm		Passo 1/2" x 1/8" 12,7 x 3,3 mm	
	DIN 8187: 04-1/2/3		DIN 8187: 05B-1/2/3		DIN 8187: 06B-1/2/3		DIN 8187: 081-1/2/3	
	DIN 8188: -		DIN 8188: -		ASA 35: 3/8" x 3/16" 9,525 x 4,77 mm DIN 8188: 06C-1/2/3		DIN 8188: -	
Z	De	Dp	De	Dp	De	Dp	De	Dp
87	168.6	166.19	226.0	221.59	269.0	263.83	358.5	351.78
88	170.5	168.10	228.6	224.14	272.6	266.86	362.6	355.82
89	172.4	170.01	231.2	226.68	275.6	269.89	366.6	359.85
90	174.4	171.92	233.6	229.23	277.5	272.93	370.7	363.91
91	176.3	173.83	236.2	231.78	280.5	275.96	374.7	367.94
92	178.2	175.74	238.8	234.32	284.1	278.99	378.7	371.98
93	180.1	177.65	241.4	236.86	287.1	282.02	382.8	376.02
94	182.0	179.56	244.0	239.42	290.7	285.05	386.8	380.07
95	183.9	181.47	246.3	241.96	292.7	288.08	390.9	384.11
96	185.8	183.38	248.9	244.50	296.3	291.11	394.9	388.15
97	187.7	185.23	251.5	246.98	299.3	294.06	398.9	392.07
98	189.6	187.20	254.1	249.60	302.9	297.18	403.0	396.24
99	191.5	189.11	256.7	252.14	305.9	300.21	407.0	400.28
100	193.5	191.02	259.1	254.69	307.8	303.24	411.1	404.32
101	195.4	192.93	261.7	257.24	310.8	306.28	415.1	408.37
102	197.3	194.84	264.3	259.78	314.4	309.31	419.1	412.41
103	199.2	196.75	266.9	262.33	317.4	312.33	423.2	416.45
104	201.1	198.65	269.5	264.87	321.0	315.36	427.2	420.48
105	203.0	200.57	272.1	267.42	324.0	318.40	431.3	424.54
106	204.9	202.48	274.7	269.97	327.6	321.43	435.3	428.57
107	206.8	204.38	277.3	272.51	330.6	324.46	439.3	432.61
108	208.7	206.29	279.9	275.06	334.2	327.49	443.4	436.65
109	210.6	208.20	282.5	277.60	337.2	330.52	447.4	440.69
110	211.6	210.11	284.6	280.15	338.2	333.56	451.5	444.74
111	213.5	212.02	287.2	282.70	341.2	336.58	455.5	448.78
112	215.4	213.93	289.8	285.24	344.8	339.61	459.6	452.82
113	217.3	215.84	292.4	287.79	347.8	342.65	463.6	456.87
114	220.2	217.75	294.8	290.34	350.3	345.68	467.7	460.91
115	222.1	219.66	297.4	292.88	353.3	348.71	471.7	464.95
116	224.0	221.57	300.0	295.43	356.9	351.75	475.8	469.00
117	225.9	223.48	302.6	297.98	359.9	354.78	479.8	473.04
118	227.8	225.39	305.2	300.52	363.5	357.81	483.9	477.08
119	229.7	227.30	307.8	303.06	366.5	360.84	487.9	481.11
120	231.7	229.21	310.1	305.62	368.5	363.87	492.0	485.17
121	233.6	231.12	312.7	308.16	371.5	366.90	496.0	489.20
122	235.5	233.03	315.3	310.70	375.1	369.93	500.1	493.24
123	237.4	234.94	317.9	313.25	378.1	372.96	504.1	497.28
124	239.3	236.85	320.5	315.80	381.7	376.00	508.1	501.33
125	241.2	238.76	322.8	318.34	383.6	379.03	512.2	505.37
Ø Rullo:	DIN 8187	DIN 8188	DIN 8187	DIN 8188	DIN 8187	DIN 8188	DIN 8187	DIN 8188
L:	4.00	-	5.00	-	6.35	5.08	7.75	-
B1:	2.80	-	3.00	-	5.72	4.77	3.30	-
H1:	2.60	-	2.80	-	5.30	4.30	3.00	-
b1:	4.00	-	4.00	-	-	-	6.00	-
b1:	-	-	2.70	-	5.20	4.10	-	-
B2:	-	-	8.30	-	15.40	14.30	-	-
B3:	-	-	-	-	25.60	24.30	-	-

PIGNONI E CORONE PER CATENE A RULLI - Tabella 2
Z87-Z125

Numero di denti	Passo 1/2" x 5/16" 12,7 x 7,75 mm		Passo 5/8" x 3/8" 15,875 x 9,65 mm		Passo 3/4" x 7/16" 19,05 x 11,68 mm		Passo 1"x17,02 mm 25,4 x 17,02 mm	
	DIN 8187: 08B-1/2/3		DIN 8187: 10B-1/2/3		DIN 8187: 12B-1/2/3		DIN 8187: 16B-1/2/3	
	ASA 40: 1/2" x 5/16" 12,7 x 7,94 mm		ASA 50: 5/8" x 3/8" 15,875 x 9,52 mm		ASA 60: 3/4" x 1/2" 19,05 x 12,7 mm		ASA 80: 1" x 5/8" 25,4 x 15,88 mm	
	DIN 8188: 08A-1/2/3		DIN 8188: 10A1/2/3		DIN 8188: 12A-1/2/3		DIN 8188: 16A-1/2/3	
Z	De	Dp	De	Dp	De	Dp	De	Dp
87	358.2	351.78	448.1	439.72	537.7	527.67	717.3	703.55
88	362.3	355.82	453.1	444.77	543.7	533.72	725.3	711.63
89	366.3	359.85	458.2	449.82	549.8	539.78	733.4	719.71
90	370.4	363.91	463.3	454.88	555.9	545.86	741.6	727.81
91	374.4	367.94	468.4	459.93	562.0	551.92	749.7	735.89
92	378.5	371.98	473.4	464.98	568.0	557.97	757.7	743.97
93	382.5	376.02	478.5	470.03	574.1	564.03	765.8	752.04
94	386.6	380.07	483.5	475.09	580.1	570.11	773.8	760.15
95	390.7	384.11	488.5	480.14	586.2	576.17	782.0	768.22
96	394.7	388.15	493.5	485.19	592.2	582.23	790.0	776.30
97	398.7	392.07	498.6	490.09	598.3	588.11	798.1	784.15
98	402.8	396.24	503.6	495.30	604.3	594.36	806.1	792.48
99	406.8	400.28	508.7	500.35	610.4	600.42	814.2	800.56
100	410.9	404.32	513.8	505.40	616.6	606.48	822.4	808.63
101	414.9	408.37	518.9	510.46	622.7	612.55	830.5	816.74
102	418.9	412.41	523.9	515.51	628.7	618.61	838.5	824.81
103	422.9	416.45	529.0	520.56	634.8	624.67	846.6	832.89
104	427.0	420.48	534.0	525.61	640.8	630.73	854.6	840.97
105	431.0	424.54	539.1	530.67	646.9	636.80	862.7	849.07
106	435.1	428.57	544.1	535.72	652.9	642.86	870.7	857.15
107	439.1	432.61	549.2	540.77	659.0	648.92	878.8	865.23
108	443.2	436.65	554.2	545.81	665.0	654.98	886.8	873.30
109	447.2	440.69	559.3	550.86	671.1	661.04	894.9	881.38
110	451.3	444.74	564.3	555.93	677.2	667.11	903.3	889.48
111	455.3	448.78	569.4	560.97	683.3	673.17	911.4	897.56
112	459.3	452.82	574.4	566.02	689.3	679.23	919.4	905.64
113	463.3	456.87	579.5	571.09	695.4	685.30	927.5	913.74
114	467.4	460.91	584.5	576.14	701.4	691.36	935.6	921.82
115	471.4	464.95	589.6	581.18	707.5	697.42	943.7	929.89
116	475.5	469.00	594.6	586.25	713.5	703.50	951.7	938.00
117	479.5	473.04	599.7	591.30	719.6	709.56	959.8	946.07
118	483.6	477.08	604.7	596.34	725.6	715.61	967.8	954.15
119	487.6	481.11	609.8	601.39	731.7	721.67	975.9	962.23
120	491.7	485.17	614.8	606.46	737.8	727.75	984.1	970.33
121	495.7	489.20	619.9	611.51	743.9	733.81	992.2	978.41
122	499.8	493.24	624.9	616.55	749.9	739.86	1000.2	986.49
123	503.8	497.28	630.0	621.60	756.0	745.92	1008.3	994.56
124	507.9	501.33	635.0	626.67	762.0	752.00	1016.3	1002.67
125	511.0	505.37	640.1	631.71	768.1	758.06	1024.5	1010.74
Ø Rullo:	DIN 8187	DIN 8188	DIN 8187	DIN 8188	DIN 8187	DIN 8188	DIN 8187	DIN 8188
L:	10.16	10.16	10.16	10.16	12.07	11.91	15.88	15.88
B1:	9.65	9.52	9.65	9.52	11.68	12.70	17.02	15.88
H1:	9.10	8.70	9.10	8.70	11.10	11.60	16.20	14.60
b1:	10.00	10.00	10.00	10.00	-	-	-	-
B2:	9.00	8.40	9.00	8.40	10.80	11.30	15.80	14.10
B3:	25.50	26.50	25.50	26.50	30.30	34.10	47.70	43.40
B3:	42.10	44.60	42.10	44.60	49.80	56.90	79.60	72.70

PIGNONI E CORONE PER CATENE A RULLI - Tabella 3

Z87-Z125

Numero di denti	Passo 1"1/4 x 3/4" 31,75 x 19,56 mm DIN 8187: 20B-1/2/3		Passo 1"1/2 x 1" 38,1 x 25,4 mm DIN 8187: 24B-1/2/3		Passo 1"3/4x1"1/4 44,45 x 30,99 mm DIN 8187: 28B-1/2/3		Passo 2" x 1"1/4 50,8 x 30,99 mm DIN 8187: 32B-1/2/3	
	ASA 100: 1"1/4x3/4" 31,75 x 19,05 mm DIN 8188: 20A-1/2/3		ASA 120: 1"1/2 x 1" 38,1 x 25,4 mm DIN 8188: 24A-1/2/3		ASA 140: 1"3/4 x 1" 44,45 x 25,4 mm DIN 8188: 28A-1/2/3		ASA 160: 2" x 1"1/4 50,8 x 31,75 mm DIN 8188: 32A-1/2/3	
	Z	De	Dp	De	Dp	De	Dp	De
87	895.4	879.44	1072.0	1055.33	1252.0	1231.22	1428.0	1407.11
88	905.5	889.54	1084.0	1067.45	1266.0	1245.36	1444.0	1423.26
89	915.6	899.64	1096.0	1079.56	1280.0	1259.49	1460.0	1439.42
90	925.7	909.76	1108.5	1091.72	1294.0	1273.67	1476.0	1455.62
91	935.8	919.86	1120.5	1103.83	1309.0	1287.81	1492.0	1471.78
92	945.9	929.96	1132.5	1115.95	1323.0	1301.94	1508.0	1487.93
93	956.0	940.05	1144.5	1128.06	1337.0	1316.08	1524.0	1504.09
94	966.1	950.18	1156.5	1140.22	1351.0	1330.26	1540.0	1520.29
95	976.2	960.28	1169.0	1152.33	1366.0	1344.39	1556.0	1536.45
96	986.3	970.38	1181.0	1164.45	1380.0	1358.53	1572.0	1552.60
97	996.4	980.19	1193.0	1176.22	1394.0	1372.26	1588.0	1568.30
98	1006.5	990.60	1205.0	1188.72	1409.0	1386.84	1604.0	1584.96
99	1016.6	1000.70	1217.5	1200.84	1423.0	1400.98	1620.0	1601.11
100	1026.7	1010.79	1229.5	1212.95	1437.0	1415.11	1636.0	1617.27
101	1036.8	1020.92	1241.5	1225.11	1452.0	1429.29	1652.0	1633.47
102	1046.9	1031.02	1253.5	1237.22	1466.0	1443.42	1668.0	1649.63
103	1057.0	1041.11	1265.5	1249.34	1480.0	1457.56	1684.0	1665.78
104	1067.1	1051.21	1278.0	1261.45	1495.0	1471.70	1700.0	1681.94
105	1077.2	1061.34	1290.0	1273.61	1509.0	1485.87	1716.0	1698.14
106	1087.3	1071.44	1302.0	1285.72	1523.0	1500.01	1732.0	1714.30
107	1097.4	1081.53	1314.0	1297.84	1538.0	1514.14	1748.0	1730.45
108	1107.5	1091.63	1326.0	1309.95	1552.0	1528.28	1764.0	1746.61
109	1117.6	1101.73	1338.5	1322.07	1566.0	1542.42	1780.0	1762.76
110	1127.7	1111.85	1350.5	1334.22	1581.0	1556.59	1796.0	1778.97
111	1137.8	1121.95	1362.5	1346.34	1595.0	1570.73	1812.0	1795.12
112	1147.9	1132.05	1374.5	1358.46	1609.0	1584.86	1828.0	1811.27
113	1158.0	1142.17	1386.5	1370.61	1624.0	1599.04	1844.0	1827.48
114	1168.2	1152.27	1399.0	1382.73	1638.0	1613.18	1860.0	1843.63
115	1178.3	1162.37	1411.0	1394.84	1652.0	1627.31	1876.0	1859.79
116	1188.4	1172.50	1423.0	1406.99	1667.0	1641.49	1892.0	1875.99
117	1198.5	1182.59	1435.0	1419.11	1681.0	1655.63	1908.0	1892.15
118	1208.6	1192.69	1447.0	1431.23	1695.0	1669.76	1924.0	1908.30
119	1218.7	1202.79	1459.5	1443.34	1710.0	1683.90	1940.0	1924.46
120	1228.8	1212.91	1471.5	1455.50	1724.0	1698.08	1956.0	1940.66
121	1238.9	1223.01	1483.5	1467.61	1738.0	1712.21	1972.0	1956.82
122	1249.0	1233.11	1495.5	1479.73	1753.0	1726.35	1988.0	1972.97
123	1259.1	1243.20	1507.5	1491.84	1767.0	1740.48	2004.0	1989.12
124	1269.2	1253.33	1520.0	1504.00	1781.0	1754.66	2020.0	2005.33
125	1279.3	1263.43	1532.0	1516.11	1796.0	1768.80	2036.0	2021.48
Ø Rullo:	DIN 8187	DIN 8188	DIN 8187	DIN 8188	DIN 8187	DIN 8188	DIN 8187	DIN 8188
L:	19.05	19.05	25.40	22.22	27.94	25.40	29.21	28.58
B1:	19.56	19.05	25.40	25.40	30.99	25.40	30.99	31.75
H1:	18.50	17.60	24.10	23.50	29.40	23.50	29.40	29.30
b1:	-	-	-	-	-	-	-	-
b1:	18.20	17.10	23.60	22.90	28.80	22.90	28.80	29.70
B2:	54.60	52.90	72.00	68.30	88.40	71.80	87.40	88.50
B3:	91.00	88.70	120.30	113.70	148.00	120.70	146.00	147.30

Pignoni e Corone per Catene a Rulli - Tabella 4

Z87-Z125

Numero di denti	Passo 2"1/2 x 1"1/2 63,5 x 38,1 mm		Passo 3" x 1"4/5 76,2 x 45,72 mm			
	DIN 8187: 40B-1/2/3		DIN 8187: 48B-1/2/3			
	ASA200:2"1/2x1"1/2 63,5 x 38,1 mm		ASA 240: 3" x 1" 7/8 76,2 x 47,63 mm			
	DIN 8188: 40A-1/2/3		DIN 8188: 48A-1/2/3			
Z	De	Dp	De	Dp		
87	1783.0	1758.89	2143.0	2110.66		
88	1803.0	1779.08	2168.0	2134.90		
89	1823.0	1799.27	2192.0	2159.13		
90	1843.0	1819.53	2216.0	2183.43		
91	1863.0	1839.72	2241.0	2207.67		
92	1884.0	1859.92	2265.0	2231.90		
93	1904.0	1880.11	2289.0	2256.13		
94	1924.0	1900.36	2314.0	2280.44		
95	1944.0	1920.56	2338.0	2304.67		
96	1964.0	1940.75	2362.0	2328.90		
97	1984.0	1960.37	2387.0	2352.45		
98	2004.0	1981.20	2411.0	2377.44		
99	2024.0	2001.39	2435.0	2401.67		
100	2045.0	2021.59	2460.0	2425.90		
101	2065.0	2041.84	2484.0	2450.21		
102	2085.0	2062.04	2508.0	2474.44		
103	2105.0	2082.23	2533.0	2498.67		
104	2125.0	2102.42	2557.0	2522.91		
105	2145.0	2122.68	2581.0	2547.21		
106	2165.0	2142.87	2606.0	2571.45		
107	2185.0	2163.06	2630.0	2595.68		
108	2206.0	2183.26	2654.0	2619.91		
109	2226.0	2203.45	2679.0	2644.14		
110	2246.0	2223.71	2703.0	2668.45		
111	2266.0	2243.90	2727.0	2692.68		
112	2286.0	2264.09	2752.0	2716.91		
113	2306.0	2284.35	2776.0	2741.22		
114	2326.0	2304.54	2800.0	2765.45		
115	2346.0	2324.74	2825.0	2789.68		
116	2367.0	2344.99	2849.0	2813.99		
117	2387.0	2365.18	2873.0	2838.22		
118	2407.0	2385.38	2898.0	2862.45		
119	2427.0	2405.57	2922.0	2886.68		
120	2447.0	2425.83	2946.0	2910.99		
121	2467.0	2446.02	2971.0	2935.22		
122	2487.0	2466.21	2995.0	2959.46		
123	2507.0	2486.41	3019.0	2983.69		
124	2528.0	2506.66	3044.0	3008.00		
125	2548.0	2526.86	3068.0	3032.23		
Ø Rullo:	DIN 8187	DIN 8188	DIN 8187	DIN 8188		
L:	39.37	39.68	48.26	47.63		
B1:	38.10	38.10	45.70	47.63		
B1:	34.00	36.40	44.00	45.80		
H1:	-	-	-	-		
b1:	33.90	36.10	43.50	45.50		
B2:	106.00	107.10	132.70	132.90		
B3:	178.00	178.10	222.00	220.30		